

**Problem:** Crabgrass (*Digitaria* sp.)



**Description:** Crabgrass is a summer annual grass that germinates in the spring and dies in the fall. It proliferates in hot, dry environments. Because cool-season lawns struggle during the summer, crabgrass will often take over if the lawn is not well taken care of.

**Recommendations:** For most of Kansas, crabgrass typically begins to germinate around May 1. Therefore, April 15 is a good target date for applying the preventer because it gives the active ingredients time to evenly disperse in the soil before crabgrass germination starts. The April 15 target works well for most of the state, however for southeast Kansas April 1 is more appropriate, and for northwest Kansas May 1 is best. Additionally, weather varies from one spring to the next, and with it the timing of crabgrass germination. For this reason, it is often better to base timing on the bloom of ornamental plants. The eastern redbud tree is a good choice for this purpose. When the trees in your area are approaching full-bloom, apply crabgrass preventer. A follow-up application will be needed about 8 weeks later unless you are using Dimension (dithiopyr) or Barricade (proflam), each of which will provide season long control.

Control of crabgrass after it has emerged is more difficult but products containing quinclorac (Fertilome Weed-Out with Q, Ortho Weed-B-Gon Max + Crabgrass Control, Bayer All-in-One Lawn Weed and Crabgrass Killer, Drive) are usually effective. Clippings from lawns treated with quinclorac should be returned to the lawn or discarded. Do not use clippings to mulch vegetable or flower gardens.

**References:**

1. [Control of Crabgrass in Home Lawns](#), Purdue University and University of Illinois Extension Publication AY-10-W and IL-IN TW 33

**Last Update:** 1/17/2018

---

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

*“Knowledge for Life”*

Kansas State University Agricultural Experiment Station and Cooperative Extension Service