

Problem: Minute Pirate Bugs (*Orius* sp.)



Photo courtesy of Texas A&M

Hosts: Too numerous to mention. Typically, the bugs are a beneficial predator and feed on small insects, mites, insect eggs and pollen grains. They can be an important predator of corn earworm eggs in corn fields.

Description: These bugs are pinhead size and have silver-white markings on their backs. Their bodies are oval to triangular in shape and somewhat flattened-looking. Minute pirate bugs are rarely more than one-sixteenth of an inch long. Unlike fleas and chiggers, however, minute pirate bugs have wings and can fly well.

Minute pirate bugs only occasionally move out of fields in search of new prey. When they do, it will normally be in late summer. They soon make their presence known by biting humans. Though small, these insects have a surprisingly painful bite. They use their short, blunt beak to try to probe into the skin. They do not feed on blood, inject a venom or saliva, or transmit any disease. But humans' longer-term reactions vary. Some people have no lasting effects. Some develop reddened skin at the bite site. Others get swelling that looks much like a mosquito bite.

Recommendations: Repellents aren't usually effective against Minute Pirate Bugs. However, wearing dark clothes on the warm days when minute pirate bugs are abundant may make someone less attractive to these insects.

References:

1. [Minute Pirate Bugs are Biting – ARGH!](#), Iowa State University Extension and Outreach, Horticulture and Home Pest News, October 20, 2017

Last Update: 1/19/2018

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

“Knowledge for Life”

Kansas State University Agricultural Experiment Station and Cooperative Extension Service