

Problem: Peony, Powdery Mildew (*Erysiphe polygoni*)



Host Plants: Peony

Description: Powdery mildew starts as individual spots that resemble snowflakes but rapidly coalesce to cover the entire leaf so that a plant look like it was dusted with flour. Though common on other plants such as lilac and bee balm, it has been relatively rare on peony until the last few years.

Recommendations: Poor air movement and shade make the disease more likely. Growing peonies in full sun with good air movement will help minimize the disease. Fungicides can be effective if applied before infection has occurred. Therefore, heavily infected plants should not be treated as the treatment will be ineffective. Fortunately, the disease should cause no lasting damage to the plant.

Remove and discard (or compost) infected plant material at the end of the season. Look for individual spots to appear the following spring and then apply a recommended fungicide before the disease has spread. Suggested fungicides include myclobutanil (Eagle, Spectracide Immunox, Immunox Plus, Fertilome F-Stop Lawn & Garden Fungicide), propiconazole (Banner MAXX, Fertilome Liquid Systemic Fungicide) or tebuconazole (Bayer Disease Control for Roses, Flowers & Shrubs).

References:

1. [Powdery Mildew on Peonies](#), University of Minnesota, Yard and Garden News, August 1, 2012
2. [Peony Powdery Mildew](#), University of Illinois Extension, Home, Yard & Garden Pest Newsletter, July 16, 2010

Last Update: 1/22/2018

Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned.

“Knowledge for Life”

Kansas State University Agricultural Experiment Station and Cooperative Extension Service